

CIW@TECH

- Our focus is**
- **Protection**
 - **Productivity**
 - **Performance**





Catalog Index

About CIWOtech Products	3
Accessories	20
Adjustable Elastic Wrist Strap	18
Comfort Harness Double - Elastic	14
Comfort Harness Double - Webbing	12
Comfort Harness Single - Elastic	13
Comfort Harness Single - Webbing	11
Comfort Sling - OSFA	5
Elastic Wrist Strap	17
Forkswift™ – Equipment Management System	15
Hand-Mounted Adjustable Wrist Strap	19
Harness Double - Elastic	10
Harness Double - Webbing	8
Harness Single - Elastic	9
Harness Single - Webbing	7
Hook Adapter	16
Hook Strap	16
"OG" Elastic Harness (Single or Dual Use)	6
"OG" Sling - OSFA	4

About CIWotech Products

Empower end-users of hand-held hardware devices with hands-free ergonomic mobility wearables. Say goodbye to daily disruptions caused by human errors of misplacing, losing, or damaging devices. Our wearable solutions ensure seamless connectivity to any device, old or new, increasing productivity and profitability, while keeping workers safe. Experience the freedom of hands-free accessibility and boost efficiency, and profitability today.

CIWotech is a division of OP/TECH USA, who in conjunction with industry warehouse and safety personnel, has developed a line of straps, slings, and harnesses. Our designs promote efficiency and safety within the warehouse, distribution and industrial environments while offering ease-of-use and protection for the scanners, printers and other portable devices.


CIWotech products offer:

- **Versatility** – adjustable to fit any body type and can be quickly changed for right-handed or left-handed usage
- **Ergonomic Comfort** – designed for different ranges of motion allowing maximum flexibility
- **Convenience** – keeps devices handy and ready to use, reducing unnecessary repetitive motions
- **Efficiency** – promotes working faster without having to put down & pick up the device
- **Safety** – breakaway connectors that hold securely, but release automatically (at 8 - 10 lb of force) in an emergency
- **Modular Construction** – interchangeability between different straps, slings or harnesses
- **Spare Parts** – Additional connectors available for additional devices or economic replacement


As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!

THE "OG" SLING - OSFA & ACCESSORIES




The **"OG" Sling - OSFA** attaches to a hand-held hardware device using **Mini QD Loop Connectors**. It's fully adjustable (28" - 66" circumference) and has a breakaway connector designed to precisely disconnect (at 8-10 lb of force) for employee safety, giving employees peace of mind. The device attached slides easily up and down the sling for ease of use. The **"OG" Sling - OSFA** improves employee productivity and safety, while keeping the device free from being misplaced, lost, or damaged. Extra **Mini QD Loop Connectors** are available separately. Comes packaged in a poly bag for convenience.



Breakaway Connector for Safety

Mini QD Loop Connectors



Poly-bagged for convenience



1. Thread small cord loop through connection point.



2. Thread connector through opening of loop.



3. Pull connector to tighten knot.

"OG" SLING - OSFA					
Size	Adjustability Range	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	28" - 66" (circumference)	99013956	7 11554 99356 3	2	0.125

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.




10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025

As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!

COMFORT SLING - OSFA & ACCESSORIES



The **Comfort Sling - OSFA** attaches to hand-held hardware device using **Mini QD Loop Connectors**. It has a comfortable neoprene shoulder pad with a non-skid surface to keep it in place and is fully adjustable (43" - 81" circumference). It has breakaway connectors designed to precisely disconnect (at 8-10 lb of force) for employee safety, giving employees peace of mind. The connected device slides easily up and down the sling for ease of use. The Comfort Sling improves employee productivity and safety, while the device is free from being misplaced, lost, or damaged. Extra **Mini QD Loop Connectors** are available separately. Comes packaged in a poly bag for convenience.



Breakaway Connector for Safety

Mini QD Loop Connectors



Adjusts from
 43" - 81"
 (109 - 206 cm)
 in circumference.



Poly-bagged for convenience



1. Thread small cord loop through connection point.



2. Thread connector through opening of loop.



3. Pull connector to tighten knot.

COMFORT SLING - OSFA

Size	Adjustability Range	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	44" - 82" (circumference)	99013989	7 11554 99389 1	4.2 oz	0.265

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.



10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025

As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!


THE "OG" ELASTIC HARNESS (SINGLE OR DUAL USE) & ACCESSORIES



The "OG" Elastic Harness (Single or Dual Use) is the simplest solution for carrying one device centered in the front or for carrying two devices, one on each side of the body. This is ideal when regularly using mobile computers, mobile printers, scanners, or tablets, simultaneously. The "OG" Elastic Harness (Single or Dual Use) is fully adjustable and comfortable for both men and women. The elastic sections of the double harness draw the device(s) closer to the body while engaged in activities such as driving a forklift or other intricate tasks. They stretch out to give a full range of motion when in use. The connected device(s) freely glide up and down the harness when in use and rests comfortably at the sides when not in use, readily available for use at a moment's notice. The harness is constructed with our proprietary breakaway connectors which are designed to precisely disconnect (at 8-10 lb of force) for employee safety, giving them peace of mind. The "OG" Elastic Harness (Single or Dual Use) removes the human possibility of misplacing, losing, or damaging the device. It's available in two sizes (Regular, Large) to offer the perfect fit to meet your specific application needs.



Carry one device on each side, or a single device centered



1. Thread small cord loop through connection point.



2. Thread connector through opening of loop.



3. Pull connector to tighten knot.

The "OG" ELASTIC HARNESS (Single or Dual Use)

Size	Fits Sizes	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	One Size Fits Most	99013928	7 11554 99328 0	3.81	0.238

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.



10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025

As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!

HARNESS SINGLE - WEBBING & ACCESSORIES



The **Harness Single Webbing** is ideal for hand-held hardware devices (mobile computers, scanners, tablets, mobile printers & etc.) used in the commercial, industrial, warehouse & office environments. It's fully adjustable and extremely versatile. The device connected to the **Mini QD Loop Connectors** freely glide up and down the harness when actively in use, and rests comfortably at the side when not in use, although always readily available for use at a moment's notice. The harness is comfortable for men and women, and is ambidextrous, to be configured for right or left-hand use. Proprietary breakaway connectors are designed to precisely disconnect (at 8-10 lb of force) for employee safety, giving employees peace of mind. The **Harness Single Webbing** improves employee efficiency, while the connected device removes the human possibility of misplacing, losing, or damaging the device. It's available in four sizes (Small, Regular, Large, X-Large) to offer the perfect fit to meet your specific application needs.



Poly-bagged for convenience

Mini QD Loop Connectors



Breakaway Connectors for Safety



1. Thread small cord loop through connection point.



2. Thread connector through opening of loop.



3. Pull connector to tighten knot.

HARNESS SINGLE - WEBBING

Size	Fits Sizes	Stock No.	UPC No	Wt. oz	Wt. lb
Small (XS)	Petite - Women's XS / Men's XXS	99013967	7 11554 99367 9	3.2 oz	0.2
Regular (S) [†]	Women's XS - Men's Medium	99013909	7 11554 99309 9	3.3 oz	0.206
Large (L) [†]	Men's Medium - Men's XL	99013913	7 11554 99313 6	3.3 oz	0.206
Extra-Large (XL) [†]	Men's XXL and Larger	99013969	7 11554 99369 3	3.5 oz	0.22

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.



10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025

As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!


HARNES DOUBLE - WEBBING & ACCESSORIES



The **Harness Double Webbing** is the perfect solution for carrying one device centered in the front, or for carrying two devices, one on each side of the body. This is ideal when regularly using a mobile computer, mobile printer, scanner, or tablet, simultaneously. The **Harness Double Webbing** is fully adjustable and comfortable for both men and women. The harness is constructed with our proprietary breakaway connectors, designed to precisely disconnect (at 8-10 lb of force) for employee safety, giving employees peace of mind. The **Harness Double Webbing** increases employee productivity and efficiency, while the connected devices remove the human possibility of misplacing, losing, or damaging the device. It is available in two sizes (Regular, Large) to offer the perfect fit to meet your specific application needs. Extra **Mini QD Loop Connectors** are available separately. Comes packaged in a poly bag for convenience.



Carry one device on each side, or a single device centered



Breakaway Connectors for Safety



Poly-bagged for convenience



1. Thread small cord loop through connection point.



2. Thread connector through opening of loop.



3. Pull connector to tighten knot.

HARNES DOUBLE - WEBBING

Size	Fits Sizes	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	Women's XS - Men's Med.	99013930	7 11554 99330 3	3.6 oz	0.225
Large	Men's L - Men's XXL	99013932	7 11554 99332 7	3.7oz	0.231

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.



10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025

As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!

HARNESS SINGLE - ELASTIC & ACCESSORIES



The **Harness Single Elastic** is simple, yet perfect for hand-held hardware devices (mobile computers, scanners, tablets, mobile printers & etc.) used in the commercial, industrial, warehouse & office environments. It's fully adjustable and extremely versatile. The elastic section of the harness draws the harness closer to the body while doing activities such as driving a forklift or other intricate tasks and stretches out to give a full range of motion when in use. The connected device freely glides up and down the harness when in use and rests comfortably at the side when not in use, although always readily available for use at a moment's notice. The **Harness Single Elastic** is comfortable for men and women, and is ambidextrous, to be configured for right or left-hand use. Proprietary breakaway connectors are designed to precisely disconnect (at 8-10 lb of force) for employee safety, giving employees peace of mind. The **Harness Single Elastic** helps improve employee efficiency and productivity, while removing the human possibility of misplacing, losing, or damaging the device. It's available in two sizes (Regular, Large) to offer the perfect fit to meet your specific application needs.



Poly-bagged for convenience

Mini QD Loop Connectors



Breakaway Connectors for Safety



1. Thread small cord loop through connection point.



2. Thread connector through opening of loop.



3. Pull connector to tighten knot.

HARNESS SINGLE - ELASTIC

Size	Fits Sizes	Stock No.	UPC No	Wt. oz	Wt. lb
Regular (S)	Women's XS - Men's Medium	9500002	7 11554 95002 3	4.2 oz	0.263
Large (L)	Men's Medium - Men's XL	9500003	7 11554 95003 0	4.3 oz	0.269
Extra Large (XL)	Men's XL - Men's XXL	9500014	7 11554 95014 6	4.5 oz	0.281

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.



10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025

As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!


HARNESS DOUBLE - ELASTIC & ACCESSORIES



The **Harness Double Elastic** is the simplest solution for carrying one device centered in the front or for carrying two devices, one on each side of the body. This is ideal when regularly using mobile computers, mobile printers, scanners, or tablets, simultaneously. The **Harness Double Elastic** is fully adjustable and comfortable for both men and women. The elastic sections of the double harness draw the device(s) closer to the body while engaged in activities such as driving a forklift or other intricate tasks. They stretch out to give a full range of motion when in use. The connected device(s) freely glide up and down the harness when in use and rests comfortably at the sides when not in use, readily available for use at a moment's notice. The harness is constructed with our proprietary breakaway connectors which are designed to precisely disconnect (at 8-10 lb of force) for employee safety, giving them peace of mind. The **Harness Double Elastic** removes the human possibility of misplacing, losing, or damaging the device. It's available in two sizes (Regular, Large) to offer the perfect fit to meet your specific application needs.



Carry one device on each side, or a single device centered



1. Thread small cord loop through connection point.



2. Thread connector through opening of loop.



3. Pull connector to tighten knot.

HARNESS DOUBLE - ELASTIC

Size	Fits Sizes	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	Women's XS - Men's Med.	9500008	7 11554 95008 5	4.8 oz	0.3
Large	Men's L - Men's XXL	9500009	7 11554 95009 2	5.6 oz	0.350

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.



10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025


As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!

COMFORT HARNESS SINGLE - WEBBING & ACCESSORIES



The **Comfort Harness Single Webbing** offers additional comfort to our **Harness Single Webbing** and is ideal for hand-held hardware devices (mobile computers, scanners, tablets, mobile printers & etc.) used in the commercial, industrial, warehouse & office environments. The neoprene yoke evenly distributes weight across both shoulders for all-day comfort. It's fully adjustable and extremely versatile. The device connected to the **Mini QD Loop Connectors** freely glides up and down the harness when actively in use, and rests comfortably at the side when not in use, although always readily available for use at a moment's notice. The harness is comfortable for men and women, and is ambidextrous, configurable for right or left-hand use. Our proprietary breakaway connectors are designed to precisely disconnect (at 8-10 lb of force) for employee safety, giving employees peace of mind. The **Comfort Harness Single Webbing** improves employee efficiency, while removing the human possibility of misplacing, losing, or damaging the device. It's available in two sizes (Regular, Large) to offer the perfect fit to meet your specific application needs.



COMFORT HARNESS SINGLE - WEBBING					
Size	Fits Sizes	Stock No.	UPC No	Wt. oz	Wt. lb
Small	Women's XS - Men's Small	9500011	7 11554 95011 5	5.6	0.35
Large	Men's Medium - Men's XL	9500010	7 11554 95010 8	6.1	0.38

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.



10 PACK MINI QD LOOP CONNECTORS				
Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025

As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!


COMFORT HARNESS DOUBLE - WEBBING & ACCESSORIES



The **Comfort Harness** offers additional comfort to our **Harness Double** and is ideal for hand-held hardware devices such as mobile computers, scanners, tablets, mobile printers and others used in commercial, industrial, warehouse and office environments. The Quick Disconnects hold the harness securely in place, yet will break away at 8 - 10 lb of force for safety in an emergency situation giving employees extra peace of mind.

It keeps your device within arm's reach, leaving your hands free for essential tasks. The devices connected to the Mini QD Loop Connectors glide freely up and down the harness when actively in use, and rest comfortably at the side when not in use, always ready for use at a moment's notice.

The harness is comfortable for men and women and is available in both webbing and elastic versions in two sizes. The **Comfort Harness Double - Webbing** improves employee efficiency, while removing the human possibility of misplacing, losing, or damaging the device.



COMFORT HARNESS DOUBLE-WEBBING					
Size	Fits Sizes	Stock No.	UPC No	Wt. oz	Wt. lb
Small	Women's XS - Men's Small	9500018	7 11554 95018 4	6.49	0.406
Large	Men's Medium - Men's XL	9500019	7 11554 95019 1	6.81	0.426

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.



10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025




CIWotech a division of OP/TECH USA
 304 Andrea Dr.
 Belgrade, MT 59714
 406-388-1377 • www.ciwotech.com
 info@optechusa.com


As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!

COMFORT HARNESS SINGLE - ELASTIC & ACCESSORIES



The **Comfort Harness Single Elastic** offers supreme comfort and versatility to a harness configuration. It is ideal for hand-held hardware devices (mobile computers, scanners, tablets, mobile printers & etc.) used in the commercial, industrial, warehouse & office environments. The neoprene yoke evenly distributes weight across both shoulders for all-day comfort. It's fully adjustable and extremely versatile. The device connected to the **Mini QD Loop Connectors** freely glides up and down the elastic section of the harness when actively in use, and rests comfortably at the side when not in use, particularly in situations such as operating a forklift. The harness is comfortable for men and women, and is ambidextrous, configurable for right or left-hand use. Our proprietary breakaway connectors are designed to precisely disconnect (at 8-10 lb of force) for employee safety, giving employees peace of mind. The **Comfort Harness Single Elastic** improves employee efficiency, while removing the human possibility of misplacing, losing, or damaging the device. It's available in two sizes (Regular, Large) to offer the perfect fit to meet your specific application needs.



COMFORT HARNESS SINGLE - ELASTIC

Size	Fits Sizes	Stock No.	UPC No	Wt. oz	Wt. lb
Small	Women's XS - Men's Small	9500015	7 11554 95015 3	6.1	0.381
Large	Men's Medium - Men's XL	9500016	7 11554 95016 0	7.37	0.461

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.




10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025


As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!

COMFORT HARNESS DOUBLE - ELASTIC & ACCESSORIES



The **Comfort Harness Double-Elastic** offers the same supreme comfort and versatility to a harness configuration as our single version, but for carrying two hand-held hardware devices (mobile computers, scanners, tablets, mobile printers & etc.) used in the commercial, industrial, warehouse & office environments. The neoprene yoke evenly distributes weight across both shoulders for all-day comfort. It's fully adjustable and extremely versatile. The devices connected via the **Mini QD Loop Connectors** freely glide up and down the elastic sections of the harness when actively in use, and rest comfortably at the side when not in use, particularly in situations such as operating a forklift. The harness is designed for comfort for both men and women. Our proprietary breakaway connectors are designed to precisely disconnect (at 8-10 lb of force) for employee safety, giving employees peace of mind. The **Comfort Harness Double-Elastic** improves employee efficiency, while removing the human possibility of misplacing, losing, or damaging the device. It's available in two sizes (Regular, Large) to offer the perfect fit to meet your specific application needs.



COMFORT HARNESS DOUBLE - ELASTIC					
Size	Fits Sizes	Stock No.	UPC No	Wt. oz	Wt. lb
Small	Women's XS - Men's Small	9500022	7 11554 95022 1		
Large	Men's Medium - Men's XL	9500023	7 11554 95023 8		

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.



10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025

As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!

FORKSWIFT™ –EQUIPMENT MANAGEMENT SYSTEM



The **Forkswift™** is the ideal accessory for managing hand-held hardware devices on a forklift, stacker or picker. It attaches to the vehicle's frame with a hook-and-loop fastener and features a neoprene pad cushion to protect the device from impact. The adjustable elastic retaining strap allows for complete freedom of movement of the operator yet retracts to stay out of the way while driving. When not in use the **Hook Strap Adapter** allows the device to hang from the convenient hook. Your device is always ready at a moment's notice yet hangs conveniently out of the way when not in use.

Since the **Forkswift™** attaches with our exclusive **Mini QD Loop Connectors**, it is fully compatible with our complete CIWotech portfolio of hands-free wearables (harnesses, slings, and wrist straps). Move your device from one configuration to another in just a few seconds, so that it best fits the need of each individual user.

Misplaced, dropped, and lost devices are a thing of the past with the **Forkswift™** equipment management solution. Protecting your expensive hardware devices is the name of the game with CIWotech!



Neoprene Pad with Hook-and-Loop Fastener for Forklift

Adjustable Elastic Strap

Hook Strap Adapter

Mini QD Loop Connectors




1. Thread small cord loop through connection point.



2. Thread connector through opening of loop.



3. Pull connector to tighten knot.



FORKSWIFT™ –EQUIPMENT MANAGEMENT SYSTEM

Connectors	Stock No.	UPC No	Wt. oz	Wt. lb
Hook-and-Loop / Hook Strap Adapter / Mini QD Loop	9500013	7 11554 95013 9	3.20 oz	0.20

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.



10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025


As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!

HOOK STRAP & ACCESSORIES



The **Hook Strap** can be configured for use around the waist like a belt or across the shoulder as a sling. The single quick disconnect has a breakaway feature designed to precisely disconnect (at 8-10 lb of force) for employee safety, giving employees peace of mind. Its generous hook is ready to receive a scanner or other hand-held device that is outfitted with the **Scanner Hook Adapter** (sold separately, see below). Comes packaged in a poly bag for convenience.



Can be configured for use as a shoulder sling or a waist belt.

HOOK STRAP					
Size	Adjustability Range	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	29" - 53" (circumference)	99013911	7 11554 99311 2	1.6 oz	0.1
Large	43" - 80" (circumference)	99013912	7 11554 99312 9	2 oz	0.125

HOOK ADAPTER



The **Hook Adapter** creates a loop between the scanner or other hand-held device's handle and body. It is used to quickly and easily hang onto the **Hook Strap** (above). It is designed to allow free use of the device without getting in the way. Kit contains one (1) webbing strap, two (2) **Mini QD Loop Connectors** and one (1) **Adapt-It** connector. Comes packaged in a poly bag for convenience.



HOOK ADAPTER				
Size	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	99013910	7 11554 99310 5	0.2	0.013

MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses.



10 PACK MINI QD LOOP CONNECTORS				
Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025

As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!

ELASTIC WRIST STRAP



The **Elastic Wrist Strap** allows free use of a hand-held hardware device, without getting in the way. It attaches to the hardware device with our **Uni-Cord Loop Connectors** equipped with breakaway quick disconnects (designed to precisely disconnect at 8-10 lb of force) for employee safety, giving employees peace of mind. It offers security and safety while using a mobile computer, mobile printer, scanner, or tablet in a commercial, industrial, warehouse, office environment. Extra **Uni-Cord Loop Connectors** are available to allow using a single **Elastic Wrist Strap** across several devices.



Hands remain free while device is not in use.



Breakaway Uni-Cord Connectors for Safety



Elastic Strap slips over wrist



1. Thread cord loop through connection point.



2. Thread connector through opening of loop.



3. Pull connector to tighten knot.

ELASTIC WRIST STRAP

Size	Connectors	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	Uni-Cord Loop	99013941	7 11554 99341 9	0.9 oz	0.056

UNI-CORD LOOP CONNECTORS

Package of five **UNI-CORD LOOP CONNECTORS** for use with CIWotech wrist straps. Available in Regular and Long lengths.



5 PACK UNI-CORD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	99013947	7 11554 99347 1	0.78 oz	0.048
Long	99013948	7 11554 99348 8	0.81 oz	0.050

As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!

ADJUSTABLE ELASTIC WRIST STRAP



The **Adjustable Elastic Wrist Strap** allows free use of a hand-held hardware device without being in the way. It attaches to the device with our **Uni-Cord Loop Connectors** equipped with breakaway quick disconnects (designed to precisely disconnect at 8-10 lb of force). It can be cinched tighter for smaller wrists and secured with its hook and-loop fastener. It offers security and safety while using a mobile computer, mobile printer, scanner, or tablet in a commercial, industrial, warehouse, office environment. Extra **Uni-Cord Loop Connectors** are available to allow using a single **Adjustable Elastic Wrist Strap** across several devices.



Hands remain free while device is not in use.



Breakaway Uni-Cord Connectors for Safety



Adjustable Elastic Strap is customizable with hook-and-loop fastener



1. Thread cord loop through connection point.



2. Thread connector through opening of loop.



3. Pull connector to tighten knot.

ADJUSTABLE ELASTIC WRIST STRAP

Size	Connectors	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	Uni-Cord Loop	99013952	7 11554 99352 5	1 oz	0.063

UNI-CORD LOOP CONNECTORS

Package of five **UNI-CORD LOOP CONNECTORS** for use with CIWotech wrist straps. Available in Regular and Long lengths.



5 PACK UNI-CORD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	99013947	7 11554 99347 1	0.78 oz	0.048
Long	99013948	7 11554 99348 8	0.81 oz	0.050

As an approved supplier to the world's largest distributors, CIWotech realizes the importance of having the best designs for increasing employee safety and productivity. We proudly manufacture a wide assortment of slings, straps, and harnesses for hand-held devices used in warehouse, distribution, and fulfillment centers.

Our focus is Protection, Productivity and Performance!


HAND-MOUNTED ADJUSTABLE WRIST STRAP



Hands remain free while device is not in use.




The CIWotech **Hand-Mounted Adjustable Wrist Strap** features a single adjustable one-size-fits-all strap for a device that wraps around the top of the hand and wrist. It allows for maximum hand movement to facilitate the lifting of boxes, equipment, and other materials without contacting the strap. The **Hand-Mounted Adjustable Wrist Strap** snaps to itself to attach to the device. When in position on the hand it is easily secured with a hook-and-loop fastener allowing the user to adjust to the preferred tension. The minimal design keeps the hand cool while in use and is designed to be used comfortably on either hand and can even be used while wearing gloves.




ATTACHING THE STRAP TO THE DEVICE


1. Place the scanner as it will appear on the back of your hand. Begin by threading the snap end of the strap, caps side down, through the upper left strap connection area. Fasten the snaps together.




2. Loop the strap around to the right as shown in the illustration and pass it through the upper right connection area, and pass it behind the device on its way to the lower left connection area.



3. Pass the strap from the rear to the front through the lower left connection area. Pass the strap behind the device and from the rear to the front through the lower right connection area.



4. Place your hand into the strap as shown and tighten the strap to your preferred tension. Fasten the touch closure and you're ready to go!
5. The minimal profile of the



strap keeps the hand cool and comfortable while working.

HAND-MOUNTED ADJUSTABLE WRIST STRAP					
Size	Connectors	Stock No.	UPC No	Wt. oz	Wt. lb
One Size	Snaps/ Hook & Loop	9500017	7 11554 95017 7	1 oz	0.063

ACCESSORIES



CONTACT ANCHOR LOOPS


For devices without a strap connection, **CONTACT ANCHOR LOOPS** allow you to add one. Using a high-strength 3M self-adhesive strip (included) you can make any device ready to receive a CIWotech **Mini QD Loop Connector**. Comes in a package of two with installation instructions.



Mini QD Loop Connectors™
 sold separately
 (see below)

2 PACK CONTACT ANCHOR LOOPS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.0625" x .8125" x .1875"	1301162	7 11554 13162 0	0.2	0.0125



MINI QD LOOP CONNECTORS

Package of ten **Mini Quick Disconnect Loop Connectors** for use with most CIWotech straps and harnesses. Keeping a set of **Mini QD Loop Connectors** on each device allows you to move them from one strap, sling, or harness to another quickly and easily.



1. Thread small cord loop through connection point. 2. Thread connector through opening of loop. 3. Pull connector to tighten knot.

10 PACK MINI QD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.5mm cord	99013922	7 11554 99322 8	0.4	0.025



UNI-CORD LOOP CONNECTORS

Package of five **Uni-Cord Loop Connectors** for use with CIWotech Elastic Wrist Straps. Available in Regular and Long lengths.

Available in Regular and Long lengths



5 PACK UNI-CORD LOOP CONNECTORS

Size	Stock No.	UPC No	Wt. oz	Wt. lb
Regular	99013947	7 11554 99347 1	0.78 oz	0.048
Long	99013948	7 11554 99348 8	0.81 oz	0.050



PHONE TETHER

Converts an Otterbox® KoamTac or other case to attach a phone to any CIWO Harness or Sling's Mini QD Loop Connector. Simply apply the Phone Tether to the case with the D-ring protruding through the charging port slot. Then proceed putting the phone in the case as usual. The D-ring receives the Mini QD Loop Connectors used on all CIWO Harnesses and Slings. The phone Tether supports loads up to 22 lb (10kg) and comes in packs of ten.



10 PACK PHONE TETHER

Size	Stock No.	UPC No	Wt. oz	Wt. lb
1.0625" x .8125" x .1875"	1301162	7 11554 13162 0	0.2	0.0125