



# Strap Reference Chart (U.S. Measurement)

STRAP	RECOMMENDED LOAD*	NECK	SHOULDER	WRIST	# of CONNECTION PTS	CONNECTION TYPE	STRAP LENGTH	PAD DIMENSIONS
Bin/Op Strap™ - QD†	Up to 2.5 lbs	•			2	Small Cord Loop	31.5" - 38"	1" x 14"
Cam Strap™ - QD†	Up to 2.5 lbs			•	1	Small Cord Loop	10"	.625" x 6"
Finger Cuff™ - QD™	Up to 2.5 lbs				1	Small Cord Loop	Fits Any Finger	.625" x 2.5"
Mini Loop Strap™ - QD†	Up to 2.5 lbs	•			1	Small Cord Loop	19" - 26.5"	1" x 14"
Compact Sling™ †	Up to 2.5 lbs		•		1	Small Cord Loop	24" - 29" (shoulder to connector)	1.3" x 14"
Mirrorless Strap™	Up to 2.5 lbs	•	•		2	Small Cord Loop	38" - 48"	1.5" x 16"
Mirrorless Sling™	Up to 2.5 lbs		•		1or 2	Small Cord Loop	27.5" - 32" (shoulder to connector)	1.5" x 16"
Mirrorless Wrist Strap™	Up to 2.5 lbs			•	1	Small Cord Loop	11"	1" x 5"
Small Binocular Strap	Up to 2.5 lbs	•	•		2	Small Cord Loop	32.5" - 39.5"	1.3" x 14"
Smart Sling™ †	Up to 2.5 lbs		•		2	Small Cord Loop	24" - 29" (shoulder to connector)	1.3" x 14"
E-Z Comfort Strap™	Up to 7 lbs	•			2	3/8" webbing	22" - 44"	1.3" x 14"
Fashion Strap™	Up to 7 lbs	•			2	3/8" plastic connector	38" - 44"	1.5" x 16"
Fashion Strap™ 3/8"	Up to 7 lbs	•			2	3/8" webbing	27" - 55"	1.5" x 16"
Fashion Strap™ - Bino	Up to 7 lbs	•			2	3/8" webbing	24" - 45"	1.5" x 16"
Classic Strap™	Up to 10 lbs	•			2	3/8" webbing	25" - 51"	2" x 15"
Envy Strap™	Up to 10 lbs	•			2	3/8" webbing	26" - 52"	1.5" x 15.5"
Gotcha Wrist Strap™	Up to 10 lbs			•	1	Uni-Loop	7" - 9.5"	1.5" x 11"
SLR Wrist Strap™	Up to 10 lbs			•	1	Uni-Loop	11"	1.375" x 5"
Super Classic Sling™	Up to 15 lbs		•		1or 2	Uni-Loop	25" - 36" **	2" x 15"
Super Classic Strap™ 3/8"	Up to 15 lbs	•	•		2	3/8" webbing	25" - 51"	2" x 15"
Super Classic Strap™ w/ Pro Loop	Up to 15 lbs	•	•		2	1/4" webbing loop	37" - 43"	2" x 15"
Super Classic Strap™ Bino 3/8"	Up to 15 lbs	•	•		2	3/8" webbing	23" - 67"	2" x 15"
Super Classic Strap™ Uni-Loop	Up to 15 lbs	•	•		2	Uni-Loop	36" - 43"	2" x 15"
Pro Strap™ - 3/8"	Up to 15 lbs	•	•		2	3/8" webbing	24" - 51"	2.5" x 15"
Pro Loop Strap™	Up to 15 lbs	•	•		2	1/4" webbing loop	37" - 43"	2.5" x 15"
Reporter Strap™	Up to 15 lbs	•	•		4	3/8" webbing	24"-51"/31"-35"	2.5" x 15"
Super Pro Strap™ A&B versions	Up to 15 lbs	•	•		2	custom metal clips	37" - 46.5"	2.5" x 15"
Urban Sling™	Up to 15 lbs		•		1or 2	Uni-Loop	25" - 36" **	2.75" x 17"
Utility Sling™ - Duo	Up to 15 lbs		•		2or 4	Uni-Loop	26.5" - 31"	2.5" x 16"
Utility Strap™ - 3/8"	Up to 15 lbs		•		2	3/8" webbing	26" - 53"	2.5" x 16"
Utility Strap™ - Sling	Up to 15 lbs		•		1or 2	Uni-Loop	26.5" - 31" **	2.5" x 16"
Utility Strap™ - Sling XL Quick Adjust	Up to 15 lbs		•		1or 2	Uni-Loop	25" - 36" **	2.5" x 16"
Utility Strap™ - Swivel	Up to 15 lbs		•		2	3/4" plastic/stainless hooks	40" - 53"	2.5" x 16"
Mini S.O.S. Strap™	Up to 25 lbs		•		2	1" webbing & metal hooks	20" - 52"	2.25" x 10"
S.O.S. Strap™	Up to 30 lbs		•		2	1 1/2" webbing & metal hooks	20" - 52"	2.75" x 11"
S.O.S. Curve Strap™	Up to 30 lbs		•		2	1 1/2" webbing & metal hooks	22" - 54"	2.75" x 11.5"
Tripod Strap - Original	Up to 25 lbs		•		2	1" webbing & QD†	19.5" - 49"	3" x 19.5"
Tripod Strap - Swivel	Up to 25 lbs		•		2	1" webbing & metal hook	28" - 48"	3" x 19.5"
Dual Harness™ - 3/8"	Up to 15 lbs ea. side		•		4	3/8" webbing	20" - 31" each side (shoulder to connector)	U-Shaped Yoke
Dual Harness™ - 3/8" X-Long	Up to 15 lbs ea. side		•		4	3/8" webbing	22" - 35" each side (shoulder to connector)	U-Shaped Yoke
Dual Harness™ - Uni-Loop	Up to 15 lbs ea. side		•		4	Uni-Loop	21" - 27" each side (shoulder to connector)	U-Shaped Yoke
Dual Harness™ - Uni-Loop X-Long	Up to 15 lbs ea. side		•		4	Uni-Loop	27" - 35" each side (shoulder to connector)	U-Shaped Yoke
Double Sling™	Up to 15 lbs ea. side		•		4	Uni-Loop	23" - 31" each side (shoulder to connector)	U-Shaped Yoke
Triple Carrier™	Up to 15 lbs ea. side Up to 10 lbs front		•		6	Uni-Loop	23" - 31" each side (shoulder to connector) 10.5" - 13.5" each side (shoulder to connector)	U-Shaped Yoke

\* NOTE: Please keep in mind that the weight of an item is often perceived as being much heavier than the actual weight.

\*\* Measured from top of shoulder to end of Uni-Loop Connector

LOAD is the amount of weight that can be comfortably carried on the strap. Straps can safely carry much more.

† Quick Disconnect Connectors



# Strap Reference Chart (Metric Measurement)

STRAP	RECOMMENDED LOAD*	NECK	SHOULDER	WRIST	# of CONNECTION PTS	CONNECTION TYPE	STRAP LENGTH (cm)	PAD DIMENSIONS (cm)
Bin/Op Strap™ - QD†	Up to 1,13 kg	•			2	Small Cord Loop	80 - 96,5	2,5 x 35,6
Cam Strap™ - QD†	Up to 1,13 kg			•	1	Small Cord Loop	25,4	1,6 x 15,2
Finger Cuff™ - QD™	Up to 1,13 kg				1	Small Cord Loop	Fits Any Finger	1,6 x 6,35
Mini Loop Strap™ - QD†	Up to 1,13 kg	•			1	Small Cord Loop	48,3 - 67,3	2,5 x 35,6
Compact Sling™†	Up to 1,13 kg		•		1	Small Cord Loop	61 - 73,7 (shoulder to connector)	3,3 x 35,6
Mirrorless Strap™	Up to 1,13 kg	•	•		2	Small Cord Loop	96,5 - 121,9	3,8 x 40,6
Mirrorless Sling™	Up to 1,13 kg		•		1or 2	Small Cord Loop	69,9 - 81,3 (shoulder to connector)	3,8 x 40,6
Mirrorless Wrist Strap™	Up to 1,13 kg			•	1	Small Cord Loop	27,9	2,5 x 12,7
Small Binocular Strap	Up to 1,13 kg	•	•		2	Small Cord Loop	82,6 - 100,3	3,3 x 35,6
Smart Sling™ †	Up to 1,13 kg		•		1	Small Cord Loop	61 - 73,7 (shoulder to connector)	3,3 x 35,6
E-Z Comfort Strap™	Up to 3,17 kg	•			2	1 cm webbing	55,9 - 118,8	3,3 x 35,6
Fashion Strap™	Up to 3,17 kg	•			2	1 cm plastic connector	96,5 - 111,8	3,8 x 40,6
Fashion Strap™ 3/8"	Up to 3,17 kg	•			2	1 cm webbing	68,6 - 139,7	3,8 x 40,6
Fashion Strap™ - Bino	Up to 3,17 kg	•			2	1 cm webbing	61 - 114,3	3,8 x 40,6
Classic Strap™	Up to 4,5 kg	•			2	1 cm webbing	63,5 - 129,5	5 x 38,1
Envy Strap™	Up to 4,5 kg	•			2	1 cm webbing	66 - 132	3,8 x 39,4
Gotcha Wrist Strap™	Up to 4,5 kg			•	1	Uni-Loop	17,8 - 24,1	3,8 x 27,9
SLR Wrist Strap™	Up to 4,5 kg			•	1	Uni-Loop	27,9	3,5 x 12,7
Super Classic Sing™	Up to 7 kg		•		1or 2	Uni-Loop	63,5 - 91,4**	5 x 38,1
Super Classic Strap™ - 3/8"	Up to 7 kg	•	•		2	1 cm webbing	63,5 - 129,5	5 x 38,1
Super Classic Strap™ w/ Pro Loop	Up to 7 kg	•	•		2	6mm webbing loop	94 - 109,2	5 x 38,1
Super Classic Strap™ - Bino 3/8"	Up to 7 kg	•	•		2	1 cm webbing	59,7 - 170,2	5 x 38,1
Super Classic Strap™ - Uni-Loop	Up to 7 kg	•	•		2	Uni-Loop	91,4 - 109,2	5 x 38,1
Pro Strap™ 3/8"	Up to 7 kg	•	•		2	1 cm webbing	61 - 129,5	6,3 x 38,1
Pro Loop Strap™	Up to 7 kg	•	•		2	6mm webbing loop	94 - 109,2	6,3 x 38,1
Reporter Strap™	Up to 7 kg	•	•		4	1 cm webbing	61-129,5/78,7-88,9	6,3 x 38,1
Super Pro Strap™ A&B versions	Up to 7 kg	•	•		2	custom metal clips	94 - 118,1	6,3 x 38,1
Urban Sling™	Up to 7 kg		•		1or 2	Uni-Loop	63,5 - 91,4 **	7 x 43,2
Utility Sling™ - Duo	Up to 7 kg		•		2 or 4	Uni-Loop	67,3 - 78,8**	6,3 x 40,6
Utility Strap™ - 3/8"	Up to 7 kg		•		2	1 cm webbing	66 - 134,6	6,3 x 40,6
Utility Strap™ - Sling	Up to 7 kg		•		1or 2	Uni-Loop	67,3 - 78,8**	6,3 x 40,6
Utility Strap™ - Sling XL Quick Adjust	Up to 7 kg		•		1or 2	Uni-Loop	63,5 - 91,4**	6,3 x 40,6
Utility Strap™ - Swivel	Up to 7 kg		•		2	1,9 cm plastic/stainless hooks	101,6 - 134,6	6,3 x 40,6
Mini S.O.S. Strap™	Up to 11,3 kg		•		2	2,5 cm webbing & metal hooks	50,8 - 132,1	5,7 x 25,4
S.O.S. Strap™	Up to 13,6 kg		•		2	3,8 cm webbing & metal hooks	50,8 - 132,1	7 x 27,9
S.O.S. Curve Strap™	Up to 13,6 kg		•		2	3,8 cm webbing & metal hooks	55,9 - 137,2	7 x 29,2
Tripod Strap - Original	Up to 11,3 kg		•		2	2,5 cm webbing & QD†	49,5 - 124,5	7,6 x 49,5
Tripod Strap - Swivel	Up to 11,3 kg		•		2	2,5 cm webbing & metal hook	71,1 x 121,9	7,6 x 49,5
Dual Harness™ - 3/8"	Up to 7 kg ea. side		•		4	1 cm webbing	50,8 - 78,7 <small>each side (shoulder to connector)</small>	U-Shaped Yoke
Dual Harness™ - 3/8" X-Long	Up to 7 kg ea. side		•		4	1 cm webbing	55,9 - 88,9 <small>each side (shoulder to connector)</small>	U-Shaped Yoke
Dual Harness™ - Uni-Loop	Up to 7 kg ea. side		•		4	Uni-Loop	53,3 - 68,6 <small>each side (shoulder to connector)</small>	U-Shaped Yoke
Dual Harness™ - Uni-Loop X-Long	Up to 7 kg ea. side		•		4	Uni-Loop	68,6 - 88,9 <small>each side (shoulder to connector)</small>	U-Shaped Yoke
Double Sling	Up to 7 kg ea. side		•		4	Uni-Loop	58,4 - 78,7 <small>each side (shoulder to connector)</small>	U-Shaped Yoke
Triple Carrier™	Up to 7 kg ea. side Up to 4,5 kg front		•		6	Uni-Loop	58,4 - 78,7 <small>each side (shoulder to connector)</small> 26,7 - 34,3 <small>each side (shoulder to connector)</small>	U-Shaped Yoke

\* NOTE: Please keep in mind that the weight of an item is often perceived as being much heavier than the actual weight.

\*\* Measured from top of shoulder to end of Uni-Loop Connector


LOAD is the amount of weight that can be *comfortably* carried on the strap. Straps can *safely* carry much more.

† Quick Disconnect Connectors

# Strap Pad Diagram



A	Bin/Op Strap™-QD, Mini Loop Strap™-QD
B	E-Z Comfort Strap™, Compact Sling™, Small Binocular Strap, Smart Sling™
C	Fashion Strap™, Fashion Strap 3/8™, Fashion Strap Bino™
D	Mirrorless Strap™, Mirrorless Sling™
E	Classic Strap™
F	Super Classic™, Pro Loop, 3/8, Bino, Uni Loop, Sling
G	Envy Strap™
H	Pro Strap™ 3/8, Pro Loop Strap™, Super Pro Strap™, Reporter Strap™
J	Utility Strap™, Utility Strap™ 3/8, Utility Strap™-Sling Versions
K	Urban Sling™
L	S.O.S. Curve Strap™
M	Mini S.O.S. Strap™
N	S.O.S. Strap™
P	Tripod Strap (Nature), Tripod Strap-Swivel Version
Q	Double Sling™, Dual Harness™, Triple Carrier™





## Strap Features Cross Reference Chart

		Materials			Features/Benefits							System Connectors													
		Neoprene	Antimicrobial Memory Foam	Contains Leather	Weight Reduction	Quick Disconnects	Control-Stretch System	Comfort Stretch Binding	Non-Stretch	Non-Slip Grip	Non Skid Surface	Fully Adjustable Length	# of Connection Points	Adjustable (Plastic Ends)	3/8"	Pro Loop	Super Pro "A"	Super Pro "B"	Uni-Loop	Reporter/Backpack Adaptor	Sling Strap Adaptor	Plastic/Metal Swivel Hook	Metal Swivel Hook	1.5mm Mini QD Loop	
Up to 2.5 lbs 1,13 kg	Bin/Op Strap™-QD	•		•	•	•					•	2												•	
	Cam Strap™- QD	•				•					•	1													•
	Finger Cuff™- QD	•				•						1													•
	Mini Loop Strap™-QD	•		•	•	•					•	1													•
	Compact Sling™	•		•	•	•					•	1													•
	Small Binocular Strap	•		•	•							2													•
	Smart Sling™	•		•	•	•					•	2													•
	Mirrorless Strap™	•		•	•	•	•	•			•	2													•
	Mirrorless Sling™	•		•	•	•	•	•			•	1or2													•
	Mirrorless Wrist Strap™	•		•		•						1													•
Up to 7 lbs 3,18 kg	E-Z Comfort Strap™	•		•	•	•					2		•												
	Fashion Strap™	•			•	•					2		•												
	Fashion Strap™ 3/8"	•		•	•	•					2		•												
	Fashion Strap™- Bino (No QDs)	•		•	•						2		•												
Up to 10 lbs 4,54 kg	Classic Strap™	•		•	•	•	•				2		•												
	Bino/Cam Harness™ - Elastic			•	•	•					2							•							
	Bino/Cam Harness™ - Webbing			•	•	•		•			2							•							
	Envy Strap™		•	•	•	•		•			2		•												
	Gotcha Wrist Strap™	•		•	•	•					1								•						
	SLR Wrist Strap	•		•	•	•					1								•						
Up to 15 lbs 6,8 kg	Pro Strap™	•		•	•	•	•			•	2		•												
	Pro Loop Strap™	•		•	•	•	•			•	2			•											
	Reporter Strap™	•		•	•	•	•			•	4		•					•	•						
	Super Classic Sling™	•		•	•	•	•	•			2							•							
	Super Classic Strap™ - 3/8"	•		•	•	•	•	•			2		•												
	Super Classic Strap™ - Pro Loop	•		•	•	•	•	•			2			•											
	Super Classic Strap™ - Bino (No QDs)	•		•	•	•	•	•			2		•												
	Super Classic Strap™ - Uni-Loop	•		•	•	•	•	•			2								•						
	Super Pro Strap™ (A or B Design)	•		•	•	•	•			•	2				•	•									
	Urban Sling™	•	•		•	•	•	•			•	1or2							•						
	Utility Strap™ -3/8"	•		•	•	•	•	•			•	2		•											
	Utility Strap™ - Sling	•			•	•	•	•			•	1or2							•			•			
	Utility Strap™ - Swivel	•			•	•	•	•			•	2											•		
25-30lbs 11-13 kg	S.O.S. Strap™ & Mini S.O.S. Strap™	•			•	•	•			•	2													•	
	S.O.S. Curve Strap™	•			•	•	•			•	2													•	
25 lbs 11kg	Tripod Strap	•			•	•	•			•	2														
	Tripod Strap- Swivel	•			•	•	•			•	2													•	
15 lbs 6,8 kg ea. position	Dual Harness™ -3/8"	•		•	•	•	•	•			4		•						•						
	Dual Harness™ -Uni-Loop	•		•	•	•	•	•			4								•						
	Double Sling™	•		•	•	•	•	•			2 or 4								•		•				
	Triple Carrier™	•		•	•	•	•	•			2,4,or 6								•		•				
15 lbs 6,8 kg ea. position	Utility Sling™ - Duo	•			•	•	•	•		•	2or4								•		•				
	Stabilizer Strap™	•				•					N/A														