



SYSTEM CONNECTORS™

Reference Chart

(Imperial Measurement)

SYSTEM CONNECTOR	QUANTITY PER PACKAGE	RECOMMENDED LOAD (lbs/connector)*	CONNECTOR LENGTH (Inches, each side)	Recommended & Compatible with these OP/TECH USA Strap Pads																									
				Bin/Op Strap™	Bino/Cam Harness™	Cam Strap™ -QD	Classic Strap™	Compact Sling™	Compact Strap Trio™	Double Sling™	Dual Harness™	E-Z Comfort Strap™	E-Z Grip Strap™	Erw Strap™	Fashion Strap™	Finger Cuff™	Gimme Grip Strap™	Gotcha Wrist Strap™	Grip Strap™	Mini Loop Strap™ -QD	Mirrorless Sling	Mirrorless Strap	Mirrorless Wrist Strap	Pro Strap™	Reporter Strap™	SLR Wrist Strap™	Small Binocular Strap™	Super Classic Strap™	Triple Carrier™
SYSTEM CONNECTORS™ with 3/4" Quick Disconnects																													
3/8" Regular	set of 2	up to 35 lbs/ea	4 - 17																										
3/8" X-Long	set of 2	up to 35 lbs/ea	4 - 23																										
Adjustable	set of 2	up to 12 lbs/ea	8.5 - 13																										
Extensions Regular	set of 2	up to 35 lbs/ea	7.5 - 11																										
Extensions X-Long	set of 2	up to 35 lbs/ea	10.5 - 16																										
Gender Changers	set of 2	up to 35 lbs/ea																											
Lens Loops	set of 2	up to 35 lbs/ea	3.25 (diameter)																										
Magnetic QD	1	up to 35lb	1"																										
Pro Loop Regular	set of 2	up to 35 lbs/ea	10 - 13																										
Pro Loop X-Long	set of 2	up to 35 lbs/ea	13 - 19																										
Reporter/Backpack	set of 2	up to 25 lbs/ea	8.5 - 10.5																										
Sling Strap Adaptor	1	up to 35 lbs/ea	23 - 36																										
Sling Strap Adaptor Quick Adjust	1	up to 35 lbs/ea	23 - 46																										
Super Pro (A & B styles)	set of 2	up to 35 lbs/ea	10 - 15																										
Swivel Hook	set of 2	up to 20 lbs/ea	11 - 17																										
Tripod Loops	set of 2	up to 35 lbs/ea	2 - 11.25 (head) 2 - 18.5 (legs)																										
Uni Adaptor Loop Regular	set of 2	up to 35 lbs/ea	10.5 - 13.5																										
Uni Adaptor Loop X-Long	set of 2	up to 35 lbs/ea	13 - 19																										
Uni-Loop	set of 2	up to 35 lbs/ea	3.5																										
Uni-Loop X-Long	set of 2	up to 35 lbs/ea	5																										
SYSTEM CONNECTORS™ with both 3/4" Quick Disconnects and 3/8" Quick Disconnects																													
Mini QD Step Up	set of 2	up to 5 lbs/ea	4.5																										
Mirrorless Mini QD	set of 2	up to 5 lbs/ea	11 - 16																										
Mirrorless Sling Adaptor	1	up to 5 lbs/ea	28.5 - 39																										
SYSTEM CONNECTORS™ with 3/8" Quick Disconnects																													
Mini QDConverters	set of 2	up to 5 lbs/ea	3 - 7																										
Mini QD Extensions	set of 2	up to 5 lbs/ea	6 - 9																										
Mini QD Loops 1,5mm	4	up to 5 lbs/ea	2.5																										
Mini QD Loops 1mm	4	up to 5 lbs/ea	2.5																										
SYSTEM CONNECTORS™ Specialty Versions																													
Adapt-Its	4	up to 20 lbs/ea	1																										
Secure-Its	4	no load	4.5 ea																										
Sternum/Under Arm Adaptor	1	no load	9.5 - 18.5																										
Tiny-Mighty Swivel	set of 2	up to 35 lbs/ea	2.375																										
Utility Loop	2	up to 35 lbs/ea	3																										

NOTE: Please keep in mind that the weight of an item is often perceived as being much heavier than the actual weight.
 * RECOMMENDED LOAD is based on a minimum safety factor of 4 which means it can actually handle four times the recommended load. The recommended load takes into consideration the strength of the strap to which it will be connected. The actual connector can handle much more weight on its own.





























SYSTEM CONNECTORS™

Reference Chart

(Metric Measurement)

SYSTEM CONNECTOR	QUANTITY PER PACKAGE	RECOMMENDED LOAD (kg/connector)*	CONNECTOR LENGTH (cm, each side)	Recommended & Compatible with these OP/TECH USA Strap Pads																									
				Bin/Op Strap™	Bino/Cam Harness™	Cam Strap™ -QD	Classic Strap™	Compact Sling™	Compact Strap Trio™	Double Sling™	Dual Harness™	E-Z Comfort Strap™	E-Z Grip Strap™	Erw Strap™	Fashion Strap™	Finger Cuff™	Gimme Grip Strap™	Gotcha Wrist Strap™	Grip Strap™	Mini Loop Strap™ -QD	Mirrorless Sling	Mirrorless Strap	Mirrorless Wrist Strap	Pro Strap™	Reporter Strap™	SLR Wrist Strap™	Small Binocular Strap™	Super Classic Strap™	Triple Carrier™
SYSTEM CONNECTORS™ with 3/4" Quick Disconnects																													
3/8" Regular	set of 2	up to 15,9 kg/ea	10,2 - 43,2																										
3/8" X-Long	set of 2	up to 15,9 kg/ea	10,2 - 58,4																										
Adjustable	set of 2	up to 5,4 kg/ea	21,6 - 33																										
Extensions Regular	set of 2	up to 15,9 kg/ea	19,1 - 27,9																										
Extensions X-Long	set of 2	up to 15,9 kg/ea	26,7 - 40,6																										
Gender Changers	set of 2	up to 15,9 kg/ea																											
Lens Loops	set of 2	up to 15,9 kg/ea	8,3 (diameter)																										
Magnetic QD	1	up to 15,9 kg	2,5																										
Pro Loop Regular	set of 2	up to 15,9 kg/ea	25,4 - 33																										
Pro Loop X-Long	set of 2	up to 15,9 kg/ea	33 - 48,3																										
Reporter/Backpack	set of 2	up to 11,3 kg/ea	21,6 - 26,7																										
Sling Strap Adaptor	1	up to 15,9 kg/ea	58,4 - 91,4																										
Sling Strap Adaptor Quick Adjust	1	up to 15,9 kg/ea	58,4 - 116,8																										
Super Pro (A & B styles)	set of 2	up to 15,9 kg/ea	25,4 - 38,1																										
Swivel Hook	set of 2	up to 9,1 kg/ea	27,9 - 43,2																										
Tripod Loops	set of 2	up to 15,9 kg/ea	5,1 - 28,6 (head) 5,1 - 47 (legs)																										
Uni Adaptor Loop Regular	set of 2	up to 15,9 kg/ea	26,7 - 34,3																										
Uni Adaptor Loop X-Long	set of 2	up to 15,9 kg/ea	33 - 48,3																										
Uni-Loop	set of 2	up to 15,9 kg/ea	8,9																										
Uni-Loop X-Long	set of 2	up to 15,9 kg/ea	12,7																										
SYSTEM CONNECTORS™ with both 3/4" Quick Disconnects and 3/8" Quick Disconnects																													
Mini QD Step Up	set of 2	up to 2,3 kg/ea	11,4																										
Mirrorless Mini QD	set of 2	up to 2,3 kg/ea	27,9 - 40,6																										
Mirrorless Sling Adaptor	1	up to 2,3 kg/ea	72,4 - 99,1																										
SYSTEM CONNECTORS™ with 3/8" Quick Disconnects																													
Mini QDConverters	set of 2	up to 2,3 kg/ea	7,6 - 17,8																										
Mini QD Extensions	set of 2	up to 2,3 kg/ea	15,2 - 22,9																										
Mini QD Loops 1,5mm	4	up to 2,3 kg/ea	6,4																										
Mini QD Loops 1mm	4	up to 2,3 kg/ea	6,4																										
SYSTEM CONNECTORS™ Specialty Versions																													
Adapt-Its	4	up to 9,1 kg/ea	2,5																										
Secure-Its	4	no load	11,4 ea																										
Sternum/Under Arm Adaptor	1	no load	24,1 - 47																										
Tiny-Mighty Swivel	set of 2	up to 15,9 kg/ea	6																										
Utility Loop	2	up to 15,9 kg/ea	7,6																										

NOTE: Please keep in mind that the weight of an item is often perceived as being much heavier than the actual weight.
 * RECOMMENDED LOAD is based on a minimum safety factor of 4 which means it can actually handle four times the recommended load. The recommended load takes into consideration the strength of the strap to which it will be connected. The actual connector can handle much more weight on its own.

 <p>3/8" Connectors™ (Regular & X-Long)</p>	 <p>Adapt-Its™</p>	 <p>Adjustable Connectors™</p>	 <p>Extension Connectors™ (Regular & X-Long)</p>
 <p>Gender Changers™</p>	 <p>Lens Loops™</p>	 <p>Magnetic QD™</p>	 <p>Mini QD Converters™</p>
 <p>Mini QD Extensions™</p>	 <p>Mini QD Loops™ (1.5 mm or 1 mm cord)</p>	 <p>Mini QD Step-Up™</p>	 <p>Mirrorless Mini QD™</p>
 <p>Mirrorless Sling Adaptor™</p>	 <p>Pro Loop Connectors™ (Regular & X-Long)</p>	 <p>Reporter/Backpack Connectors™</p>	 <p>Secure-Its™</p>
 <p>Sling Strap Adaptor™</p>	 <p>Sling Strap Adaptor-Quick Adjust™</p>	 <p>Sternum/Under Arm Adaptor™</p>	 <p>Super Pro Connectors™ (A & B Versions)</p>
 <p>Swivel Hook Connectors™</p>	 <p>Tiny-Mighty Swivel™</p>	 <p>Tripod Loops™</p>	 <p>Uni Adaptor Loop Connectors™ (Regular & X-Long)</p>
 <p>Uni-Loop Connectors™</p>	 <p>Utility Loop Connectors™</p>		